Date Mailed: May 1, 2008
Sheet 1 of 3

FORM 1449

MAY U 6 2008

INFORMATION DISCLOSURE STATEMENT

IN AN APPLICATION

(Use several sheets if necessary)

Docket Number: 14836-53545

Serial Number: 10/562,308

Applicant: Bernd Kuhn, et al. Confirmation No.: 3746

Filing Date: December 23, 2005 Group Art Unit: 2829

MARKE			U.S. PATI	ENT DOCUMENT	rs			
EXAMINER INITIAL		DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS		G DATE OPRIATE
			FOREIGN PA	ATENT DOCUMI	ENTS			
	<u> </u>	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	SLATION
							YES	NO
- · ·								
				ling Author, Title, l				
	1.	Braun, J., et al Uber Benzo-polymethylen-Verbindungen, III.: Dehydrierungs-versuche bei Tetralin-, Hydrinden- und Tetrahydro-acenaphthen-(Tetraphthen-) Derivaten. J. Chem. Soc., 1922;55:1687-1700.						
	2.	Bücher, H., et al. Electric Field Induced Changes In The Optical Absorption Of A Merocyanine Dye. Chem. Phys. Lett. July 1969;3(7):508-511.  Bullen, A. and Saggau, P. Optical Recording from Individual Neurons in Culture. In: Modern Techniques in Neuroscience Research; 1 ed.; Johansson, H., Ed.; Springer-Verlag: Berlin, 1999; Chapter 4:89-126.  Cohen, L. B. and Salzberg, B. M. Optical Measurement of Membrane Potential. Rev. Physiol. Biochem. Pharmacol. 1978;83:35-88.  Cohen, L. B., et al. Changes in Axon Fluorescence During Activity: Molecular Probes of Membrance Potential. J. Membrane Biol. Feb. 11, 1974;19:1-36.  Denk, W. et al. Two-Photon Laser Scanning Fluorescence Microscopy. Science. April 6, 1990;248(4951):73-76.						
	3.							
	4.							
	5.							
	6.							
	7.	Dick B. and Hohlneicher G. Importance of Initial and Final-States as Intermediate States in Two-Photon Spectroscopy of Polar-Molecules. <i>J. Chem. Phys.</i> June 15, 1982;76(12):5755-5760.						
	8.	Dietzel, I.D., et al., Voltage Dependence of 5-Hydroxytryptamine Release At A Synapse Between Identified Leech Neurones In Culture. J. Physiol. (Lond.) 1986;372:191-205.						
	9.	Ephardt, H. and Formherz, P. Fluorescence and Photolsomerization of an Amphiphilic Aminostilbazolium Dye as Controlled by the Sensitivity of Radiationless Deactivation to Polarity and Viscosity. <i>J.Phys. Chem.</i> March 30, 1989;93:7717-7725.						
	10.	Ephardt, H. and Fromherz P. Anillnopyridinium: Solvent-Dependent Fluorescence By Intramolecular Charge Transfer. J. Phys. Chem. 1991;95:6792-6797.						
	11.	Fieser, L.F. and Riegel, B. The Synthesis of 3-Substituted Derivatives of Methlcholanthrene. J. Am. Chem. Soc. Dec. 1937;59:2561-2565.						
-	12.	Fluhler, E. et al. Spect Biochem. Jan. 31, 1985		<b>-</b>	ometric Res	ponses of New Ch	arge Shift Pr	obes.
	13.	Fromherz, P. and Lamb Biochim. Biophys, Acto	oacher, A. Spect	tra of Voltage-Sens	itive Fluores	scence of Styryl-D	ye in Neuron	Membrane.
	14.	Fromherz, P. and Muller, C.O. Voltage-Sensitive Fluorescence of Amphiphilic Hemicyanine Dyes in Neuron Membrane. <i>Biochim. Biophys. Act.</i> Jan. 1993;1150:111-122.						

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: May 1, 2008

IN AN APPLICATION		Docket Number: 14836-53545	Serial Number: 10/562,308	
		Applicant: Bernd Kuhn, et al.	Confirmation No.: 3746	
		Filing Date: December 23, 2005	Group Art Unit: 2829	

15.	Fromherz, P. and Rocker, C. Staining of Biomembranes with Amphiphilic Hemicyanine Dyes. Ber. Bunsen-Ges. Phys. Chem. 1994;98(1):128-131.
16.	Fromherz, P. et al. Fluorescent Dyes as Probes of Voltage Transients in Neuron Membranes (Progress Report). Ber. Bunsen-Ges. Phys. Chem. 1991;95(11);1333-1345.
17.	Fromherz, P. Monopole-Dipole Model for Symmetrical Solvatochromism of Hemicyanine Dyes. <i>J. Phys. Chem.</i> JanFeb.1995;99(18);7188-7192.
18.	Grinvald, A. et al. Optical Imaging of Neuronal-Activity. Physiol. Rev. Oct. 1998;68(4):1285-1366.
19.	Grinvald, A. et al. Improved Fluorescent Probes for the Measurement of Rapid Changes in Membrane Potential. Biophys. J. Sept. 1982;39:301-308.
20.	Grinvald, A., et al. In-vivo Optical Imaging of Cortical Architecture and Dynamics. In Modern Techniques in Neuroscience Research; 1 ed.; Johansson, H., Ed.; Springer-Verlag: Berlin. 1999; Chapter 34:893-969.
21.	Grinvald, A.et al. Fluorescence Monitoring of Electrical Responses from Small Neurons and Their Processes. Biophys. J. May 1983:42; 195-198.
22.	Gross, D., et al. Optical Imaging of Cell Membrane Potential Changes Induced by Applied Electric Fields. Biophys. J. Aug. 1986;50(2):339-348.
23.	Gupta, R. K. et al. Improvements in Optical Methods for Measuring Rapid Changes in Membrane Potential. J. Membrane Biol. 1981;58:123-137.
24.	Hamill, O. et al. Improved Patch-Clamp Techniques For High-Resolution Current Recording From Cells And Cell-Free Membrane Patches. <i>Pflugers Arch. Physiol.</i> 1981;391:85-100.
25.	Hassner, A., et al. Charge-Shift Probes of Membrane Potential. Synthesis. J. Org. Chem. 1984, 49, 2546-2551.
26.	Hinshelwood, C.N. (Dr. Lee's Professor of Chemistry in the University of Oxford) <i>The Kinetics of Chemical Change</i> : Oxford at the Clarendon Press. Section II: Elementary Satistical Mechanics and the Theory of Chemical Equilibria; 1940:20-40.
27.	Hübener, G. et al. Anellated Hemicyanine Dyes with Large Symmetrical Solvatochromism of Absorption and Fluorescence. J. Phys. Chem. B. March 6, 2003;107(31):7896-7902.
28.	Junge, W. and Witt, H. T. On The Ion Transport System Of Photosynthesis Investigations On A Molecular Level. Z. Naturforsch. B. 1968; B 23:244-254.
29.	Kirmse, W. and Kund, K. Intramolecular Generation Of Oxonium Ylides From Functionalized Arylcarbenes. J. Am. Chem. Soc. 1989;111:1465-1473.
30.	Knöpfel, T. and Fromherz, P. Fluorescence Monitoring of Membrane Potentials: the Spatio-Temporal Resolution in Isolated Neurons of <i>Helix pomatia</i> . Z. Naturforsch. C. Feb. 16, 1987;42(c): 986-990.
31.	Kuhn, Bernd, et al., Anellated Hemicyanine Dyes in a Neuron Membrane: Molecular Stark Effect and Optical Voltage Recording, <i>J. Phys. Chem B.</i> , August 7, 2003; Vol. 107(31);7903-7913.
32.	Lakowic, J.R., et al. Time-Resolved Fluorescence Intensity and Anisotropy Decays of 2,5-Diphenyloxazole by Two-Photon Excitation and Frequency-Domain Fluorometry. J. Phys. Chem. 1992;96(7):3000-3006.
33.	Lambacher, A. and Fromherz, P. Orientation of Hemicyanine Dye in Lipid Membrane Measured by Fluorescence Interferometry on a Silicon Chip. <i>J. Phys. Chem. B.</i> Jan. 18, 2001;105(2):343-346.
34.	Lewis, P.R. A Theoretical Interpretation of Spectral Sensitivity Curves at Long Wavelengths. <i>J. PhysiolLondon</i> Jan. 20, 1955;130(1):45-52.
35.	Loew, L.M. Design and Characterization of Electrochromic Membrane Probes. J. Biochem. Biophys. Meth. May 13, 1982;6:243-260.
36.	Loew, L.M., et al. A Naphthyl Analog of the Aminostyryl Pyridinium Class of Potentiometric Membrane Dyes Shows Consistent Sensitivity in a Variety of Tissue, Cell, and Model Membrane Preparations. J. Membr. Biol. 1992;130(1):1-10.
37.	Loew, L. M. and Simpson, L. L. Charge-Shift Probes of Membrane Potential: A Probable Electrochromic Mechanism for <i>p</i> -Aminostyrylpyridinium Probes on a Hemispherical Lipid Bilayer. <i>Biophys. J.</i> June 1981;34:353-365.

EXAMINER	DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: May 1, 2008

Sheet 3 of 3

FORM 1449 INFORMATION DISCLOSURE STATEMENT		Docket Number: 14836-53545	Serial Number: 10/562,308	
		Applicant: Bernd Kuhn, et al.	Confirmation No.: 3746	
		Filing Date: December 23, 2005	Group Art Unit: 2829	

38.	Loew, L. M., et al. Charge Shift Optical Probes of Membrane Potential. Theory. Am. Chem. Soc. 1978;17(19):4065-4071.
39.	Loew, L. M. et al. An Unexpected Blue Shift Caused By Differential Solvation Of A Chromophore Oriented In A Lipid Bilayer. J. Am. Chem. Soc. March 30, 1979:101(18):5439-5440.
40.	London, J.A. et al. Simultaneous Optical Recording of Activity from Many Neurons During Feeding in Navanax. J. Neurosci., March 1987;7(3):649-661.
41.	Meyer, E., et al., Cable Properties of Dendrites in Hippocampal Neurons Of The Rat Mapped By A Voltage-Sensitive Dye. Eur. J. Neurosci., 1997;9:778-785.
42.	Muszkat, K.A. The 4a, 4b-Dihydrophenanthrenes. Top. Curr. Chem., 1980;88-143.
43.	Newman, M.S. The Preparation of -Naphthonitrile. J. Am. Chem. Soc. 1937;59:2472.
44.	Osborn, A. R., et al. Studies of the Amino-Isoquinolines, -cinnolines, and -quinazolines. The Basic Strengths and Ultraviolet Absorption Spectra. The Infrared Spectra. J. Chem. Soc. 1956:4191-4206.
45.	Reich, V.R. and Schmidt, Sieghard. Über den Einfluß elektrischer Felder auf das Absorptionsspektrum von Farbstoff-molekülen in Lipidschichten. I. Theorie. Ber. Bunsen-Ges. Phys. Chem. April 24, 1972:76(7):589-598.
46.	Röcker, C., et al. Time-Resolved Fluorescence of a Hemicyanine Dye: Dynamics of Rotamerism and Resolvation. J. Phys. Chem. Mar. 26, 1996;100:12172-12177.
47.	Rodionov, V. M., et al. Bz-Isoquinolinecarboxaldehydes. J. Gen. Chem. USSR 1957;27: 809-815.
48.	Ross, W.N. and Reichardt, L.F. Species-Specific Effects on the Optical Signals of Voltage-Sensitive Dyes. J. Membr. Biol. 1979;48(4):343-356.
49.	Sainsbury, M., et al. 1,2-Dihydroisoquinolines-XIV (Alkylation). Tetr., 1970;26:2239-2247.
50.	Salinas, E. and Sejnowski, T.J. Correlated Neuronal Activity and the Flow of Neural Information. <i>Nature Rev. Neurosci.</i> Aug. 2001;2(8):539-550.
51.	Schmidt, V.S. and Reich, R. Über den Einfluß elektrischer Felder auf das Absorptionsspektrum von Farbstoffmolekülen in Lipidschichten. III. Elektrochromie eines Carotinoids (Lutein). Ber. Bunsen-Ges. Phys. Chem. July 17, 1972:76(11):1202-1208.
52.	Siano, D.B. and Metzler, D.E. Band Shapes of Electronic Spectra of Complex Molecules. J. Chem. Phys. Sept. 1969;51(5):1856-1861.
53.	Singer, W. Neuronal Synchrony: A Versatile Code of the Definition of Relations? <i>Neuron</i> Sept. 1999;24(1):49-65.
54.	Sinha, S. R. and Saggau, P. Optical Recording from Populations of Neurons in Brain Slices. In: <i>Modern Techniques in Neuroscience Research</i> ; 1 ed.; Johansson, H., Ed.; Springer-Verlag: Berlin, 1999; Chapter 16:459-486.
55.	Spors, H. and Grinvald, A. Spatio-Temporal Dynamics of Odor Representations in the Mammalian Olfactory Bulb. <i>Neuron</i> . April 11, 2002;34(2):301-315.
56.	Szmuszkovicz, J and Bergmann, E.D. Synthesis of 1,2,5,6-Dibenzfluorene. J. Am. Chem. Soc. Jan. 20, 1953;75: 353-354.
57.	Tasaki, I., et al. Changes in Fluorescence, Turbidity, and Birefringence Associated with Nerve Excitation. Proc. Natl. Acad. Sci. USA. Sept. 3, 1968:61:883-888.
58.	Visser, N. V., et al., Time-Resolved Fluorescence Investigations of the Interaction of the Voltage-Sensitive Probe RH421 with Lipid Membranes and Proteins. J. Biochemistry. April/June 1995:34:11777-11784.
59.	Vos, J.J. and Van Norren, D. Limits of the Visual Spectrum. In <i>Limits in Perception</i> : Van Doorn, A.J., Van de Grind, W.A., and Koenderink, J.J., <i>editors</i> . Utrecht: VNU Science Press. 1984;Ch. 3:69-84.
60.	Zeck, G., et al., "Noninvasive Neuroelectronic Interfacing with Synaptically Connected Snail Neuronsimmobilized on a Semicontructor Chip," <i>Proc. Nal. Acad. Sci.</i> , Vol. 98, No. 18, August 28, 2001, pp 10457-10462.

## Customer No. 24728

ſ	- · · · · · · · · · · · · · · · · · · ·	
	EXAMINER	DATE CONSIDERED
ı		<u></u>

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.